



TELMIG 180/2 TURBO



Overview

TELMIG 180/2 TURBO

cod. 821055

MIG-MAG welding machine. Designed for continuous and spot welding with electronic regulation of spot welding time. Thanks to optional kits this model allows also riveting.

Flexibility of use with a wide range of materials such as steel, stainless steel, high strength steels and aluminium. Complete with MIG-MAG welding accessories.



1 PH 230V



CE MARKING



EAC CERTIFICATION



COIL 15 kg

Technical data

CODE	CODE 821055	MAX NO LOAD VOLTAGE	31 V	STEEL WELDING WIRE DIAMETER	0,6 - 0,8 mm
SINGLE PHASE MAINS VOLTAGE	230 V	MAX ABSORBED POWER	5,2 kW	INOX WELDING WIRE DIAMETER	0,8 mm
MAINS FREQUENCY	50 / 60 Hz	ABSORBED POWER AT 60%	2,3 kW	ALUMINIUM WELDING WIRE DIAM.	0,8 - 1 mm
CURRENT RANGE	30 - 170 A	MAINS FUSE	16 A	PROTECTION DEGREE	IP21
MAX CURRENT DC (EN 60974-1)	140 @ 20 % A	POWER FACTOR (cosphi)	0,9	DIMENSIONS	80 x 45 x 57 cm
DC CURRENT	80 A	ADJUSTMENT POSITIONS	6	WEIGHT	37 kg

Included Accessories

CABLE 25 MMQ 1.8M - 124590



TOLEDO 250 WORK CLAMP 250A - 712030



TELMIG 180/2 TURBO

SPACER - 322499



ARGON GAS BOTTLE IT ADAPTOR - 432036



GAS REGULATOR REFILLABLE BOTTLE - 722341

MIG TORCH 2.5M - 742393